

# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire		
		Type	Dimensions	Comm.	Type	Dimensions	Comm.
125 Duke ohne ABS 2011/2012	MRF	REVZ-FC	110/70 R17 M/C 54S TL	No tire brand requirements	REVZ-C	150/60 R 17 M/C 66S TL	No tire brand requirements
	Metzeler	Sportec M5 Interact			Sportec M5		
		Sportec M3			Sportec M3		
	Pirelli	Diablo Rosso II			Diablo Rosso II		
		Supercorsa Pro			Supercorsa Pro		
Michelin	Pilot Power	Pilot Power					
125 Duke ABS 2013	MRF	REVZ-FC	110/70 R17 M/C 54S TL		REVZ-C	150/60 R 17 M/C 66S TL	
	Bridgestone	BT 003F Street	110/70 ZR17 M/C (54W) TL		BT 003 R Street	150/60 ZR17 M/C (66W) TL	
	Dunlop	Qualifier	110/70 R17 M/C 54H TL		Qualifier	150/60 R17 M/C 66H TL	
125 Duke 2017	Metzeler	Sportec M5 Interact	110/70 ZR 17 M/C 54W TL		Sportec M5 Interact	150/60 ZR 17 M/C 66W TL	
	Michelin	Pilot Street Radial	110/70 R 17 M/C 54H TL		Pilot Street Radial	150/60 R 17 M/C 66H TL	
	Continental	ContiSportAttack 2	110/70 ZR 17 M/C 54W TL		ContiSportAttack 2	150/60 ZR 17 M/C 66W TL	
	Pirelli	Diablo Rosso II	110/70 R 17 M/C 54H TL		Diablo Rosso II	150/60 R 17 M/C 66H TL	
RC 125 2017	Metzeler	Sportec M5 Interact	110/70 ZR 17 M/C 54W TL		Sportec M5 Interact	150/60 ZR 17 M/C 66W TL	
	Michelin	Pilot Street Radial	110/70 R 17 M/C 54H TL		Pilot Street Radial	150/60 R 17 M/C 66H TL	
	Continental	ContiSportAttack 2	110/70 ZR 17 M/C 54W TL		ContiSportAttack 2	150/60 ZR 17 M/C 66W TL	
	Pirelli	Diablo Rosso II	110/70 R 17 M/C 54H TL		Diablo Rosso II	150/60 R 17 M/C 66H TL	
200 Duke ohne ABS 2012	MRF	REVZ-FC	110/70 R17 M/C 54S TL	No tire brand requirements	REVZ-C	150/60 R 17 M/C 66S TL	No tire brand requirements
	Metzeler	Sportec M5 Interact			Sportec M5		
		Sportec M3			Sportec M3		
	Pirelli	Diablo Rosso II			Diablo Rosso II		
		Supercorsa Pro			Supercorsa Pro		
Michelin	Pilot Power	Pilot Power					
200 Duke ABS 2013	MRF	REVZ-FC	110/70 R17 M/C 54S TL		REVZ-C	150/60 R 17 M/C 66S TL	
	Bridgestone	BT 003F Street	110/70 ZR17 M/C (54W) TL		BT 003 R Street	150/60 ZR17 M/C (66W) TL	
	Dunlop	Qualifier	110/70 R17 M/C 54H TL		Qualifier	150/60 R17 M/C 66H TL	
390 Duke ABS 2013	Bridgestone	BT 003F Street	110/70 ZR17 M/C (54W) TL		BT 003 R Street	150/60 ZR17 M/C (66W) TL	
	Pirelli	Diablo Rosso II	110/70 R17 M/C 54H TL		Diablo Rosso II	150/60 R17 M/C 66H TL	
	Dunlop	Qualifier	110/70 R17 M/C 54H TL		Qualifier	150/60 R17 M/C 66H TL	
	Continental	SportAttack 2	110/70 ZR17 M/C 54W TL		SportAttack 2	150/60 ZR17 M/C 66W TL	
	Metzeler	Sportec M5 Interact	110/70 ZR17 M/C 54W TL	OE	Sportec M5 Interact	150/60 ZR17 M/C 66W TL	OE
390 Duke 2017	Metzeler	Sportec M5 Interact	110/70 ZR 17 M/C 54W TL	OE	Sportec M5 Interact	150/60 ZR 17 M/C 66W TL	OE
	Michelin	Pilot Street Radial	110/70 R 17 M/C 54H TL		Pilot Street Radial	150/60 R 17 M/C 66H TL	
	Continental	ContiSportAttack 2	110/70 ZR 17 M/C 54W TL		ContiSportAttack 2	150/60 ZR 17 M/C 66W TL	
	Pirelli	Diablo Rosso II	110/70 R 17 M/C 54H TL		Diablo Rosso II	150/60 R 17 M/C 66H TL	
RC 390 ABS 2014-2016	Metzeler	Sportec M5 Interact	110/70 ZR17 M/C 54W TL		Sportec M5 Interact	150/60 ZR17 M/C 66W TL	
	Continental	SportAttack 2	110/70 ZR17 M/C 54W TL		SportAttack 2	150/60 ZR17 M/C 66W TL	
	Pirelli	Diablo Rosso II	110/70 R17 M/C 54H TL		Diablo Rosso II	150/60 R17 M/C 66H TL	



# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire		
		Type	Dimensions	Comm.	Type	Dimensions	Comm.
RC 390 2017	Metzeler	Sportec M5 Interact	110/70 ZR 17 M/C 54W TL	OE	Sportec M5 Interact	150/60 ZR 17 M/C 66W TL	OE
	Michelin	Pilot Street Radial	110/70 R 17 M/C 54H TL		Pilot Street Radial	150/60 R 17 M/C 66H TL	
	Continental	ContiSportAttack 2	110/70 ZR 17 M/C 54W TL		ContiSportAttack 2	150/60 ZR 17 M/C 66W TL	
	Pirelli	Diablo Rosso II	110/70 R 17 M/C 54H TL		Diablo Rosso II	150/60 R 17 M/C 66H TL	
625 SXC 2003-2007	Metzeler	MCE 6 Days Extreme	90/90-21 M/C 54R	Restricted to 25 kW	MCE 6 Days Extreme	140/80-18 M/C 70M	Restricted to 25 kW
		Tourance	90/90-21 54Q		Tourance	120/80-18 62Q 130/80-18 65Q 140/80-18 65Q	
		Enduro 3			Enduro 3		
		MCE Karoo (T)			MCE Karoo (T)		
	Pirelli	MT 60			MT 60		
		MT 70			MT 70		
		MT 21			MT 21		
		MT 90 A/T			MT 90 A/T		
	Michelin	Scorpion Pro			Scorpion Pro		
		T63			T63		
		Sirac			Sirac		
	Bridgestone	Enduro Competition IV			Enduro Competition III		
		ED 661			ED660		
		TW301			TW302		
625 SMC 2004-2006	-	-		120/70 R17 54Q 120/70- 17 54Q	-		-
640 LC4 Enduro 2003-2006	Metzeler	MCE 6 Days Extreme	90/90-21 M/C 54R	Restricted to 25 kW	MCE 6 Days Extreme	140/80-18 M/C 70M	Restricted to 25 kW
		Tourance	90/90-21 54Q		Tourance	120/80-18 62Q 130/80-18 65Q 140/80-18 65Q	
		Enduro 3			Enduro 3		
		MCE Karoo (T)			MCE Karoo (T)		
	Pirelli	MT 60			MT 60		
		MT 70			MT 70		
		MT 21			MT 21		
		MT 90 A/T			MT 90 A/T		
	Michelin	Scorpion Pro			Scorpion Pro		
		T63			T63		
		Sirac			Sirac		
Bridgestone	Enduro Competition IV	Enduro Competition III					
	ED 661	ED660					
Continental	TW301	TW302					
640 LC4 SM 1999-2006	-	-	120/70 R17 54Q 120/70- 17 54Q	-	-	150/60 R17 65Q 160/60 R17 65Q 150/60-17 65Q 160/60-17 65Q	-
640 Duke II	-	-	120/70 R17 54S 120/70- 17 54S	-	-	160/60 R17 65S 150/60-17 65S 160/60-17 65S	-



# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire		
		Type	Dimensions	Comm.	Type	Dimensions	Comm.
640 LC4 Adventure 2003-2007	Metzeler	MCE 6 Days Extreme	90/90-21 M/C 54R	Restricted to 25 kW	MCE 6 Days Extreme	140/80-18 M/C 70M	Restricted to 25 kW
		Tourance	90/90-21 54Q		Tourance	120/80-18 62Q 130/80-18 65Q 140/80-18 65Q	
		Enduro 3			Enduro 3		
		MCE Karoo (T)			MCE Karoo (T)		
	Pirelli	MT 60			MT 60		
		MT 70			MT 70		
		MT 21			MT 21		
		MT 90 A/T			MT 90 A/T		
	Michelin	Scorpion Pro			Scorpion Pro		
		T63			T63		
		Sirac			Sirac		
	Bridgestone	Enduro Competition IV	Enduro Competition III				
		ED 661	ED660				
	Continental	TW301	TW302				
TKC80		TKC80					
660 SMC 2003-2006	-	120/70 R17 54Q 120/70- 17 54Q	-	-	150/60 R17 65Q 160/60 R17 65Q 150/60-17 65Q 160/60-17 65Q	-	
690 Supermoto/ 690 Supermoto R 2007-2009	Michelin	Pilot Road 2	120/70 ZR 17 M/C (58W)	Pilot Road 2	160/60 ZR17 M/C (69W)		
		Pilot Power		Pilot Power			
		Pilot Power 2 CT		Pilot Power 2 CT			
	Pirelli	Diablo Rosso		Diablo Rosso			
		Supercorsa Pro		Supercorsa Pro			
		Scorpion Sync Front		Scorpion Sync Front			
Diablo Strada	Diablo Strada						
690 Supermoto/ 690 Supermoto R 2007-2009	Metzeler	Sportec M3	120/70 ZR 17 M/C (58W)	Sportec M3	160/60 ZR17 M/C (69W)		
		Roadtec Z6 Interact		Roadtec Z6 Interact			
	Bridgestone	Battlax BT-090F	120/70 ZR 17 M/C (58H)	Battlax BT-090R PRO	160/60 ZR17 M/C (69H)		
		BT 016F	120/70 ZR 17 M/C (58W)	BT 016R	160/60 ZR17 M/C (69W)		
		Battlax BT-021F Sport Tour		Battlax BT-021R Sport Tour			
		Battlax BT-014R SE		Battlax BT-014R			
	Dunlop	Sportmax Alpha 10	120/70 ZR 17 M/C (58H)	Sportmax Alpha 10	160/60 R17 M/C (59H)		
		Sportmax Qualifier RR	120/70 ZR 17 M/C (58W)	Sportmax Qualifier RR	160/60 ZR17 M/C (69W)		
		Sportmax Qualifier F		Sportmax Qualifier			
		Sportmax D270F		Sportmax D270			
		Sportmax Qualifier 2		Sportmax Qualifier 2			
	Sportmax Mutant	Sportmax Mutant					
	Continental	Conti Force SM	120/70 ZR 17 M/C (58H)	Conti Force SM	160/60 ZR17 M/C (69H)		
		Conti Race Attack Street	120/70 ZR 17 M/C (58W)	Conti Race Attack Street	160/60 ZR17 M/C (69W)		
Avon	VP 2 AV59 SP/SS	VP 2 AV60 SP/SS					
	Storm ST AV55	Storm ST AV56					
	Viper AV59	Viper AV60					



# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire						
		Type	Dimensions	Comm.	Type	Dimensions	Comm.				
690 SMC 2008-2011	Michelin	Pilot Power	120/70 ZR 17 M/C (58W)		Pilot Power	160/60 ZR 17 M/C (69W)					
		Power Pure D			Power Pure D						
	Pirelli	Diablo Rosso			120/70 R 17 M/C (58H)				Diablo Rosso	160/60 R17 M/C (69H)	
		Supercorsa Pro							Supercorsa Pro		
		Scorpion Sync Front	Scorpion Sync Front								
		Diablo Strada	Diablo Strada								
	Metzeler	Sportec M3	120/70 ZR 17 M/C (58W)		Sportec M3	160/60 ZR17 M/C (69W)					
		Z8 Interact			Z8 Interact						
		Sportec M5 Interact			Sportec M5 Interact						
	Bridgestone	S20F	120/70 ZR 17 M/C (58W)		S20R	160/60 ZR17 M/C (69W)					
		BT 023 F			BT 023 R						
		BT 021 F			BT 021 R						
	Dunlop	Sportmax Roadsmart 2	120/70 ZR 17 M/C (58W)		Sportmax Roadsmart 2	160/60 ZR17 M/C (69W)					
		Sportmax Qualifier RR			Sportmax Qualifier RR						
		Sportmax Qualifier F			Sportmax Qualifier						
		Sportmax Roadsmart			Sportmax Roadsmart						
		Sportmax D270F			Sportmax D270						
		Sportmax Qualifier 2			Sportmax Qualifier 2						
	690 SMC 2008-2011	Continental	Conti Motion Z	120/70 ZR 17 M/C (58W)		Conti Motion	160/60 ZR17 M/C (69W)				
			Conti Sport Attack 2			Conti Sport Attack 2					
			Conti Attack SM	120/70R17 M/C (58H) TL	OE	Conti Attack SM	160/60 R17 M/C (69H)	OE			
Conti RaceAttack C.E.			120/70 ZR 17 M/C (58W)		Conti RaceAttack C.E.	160/60 ZR17 M/C (69W)					
Conti RoadAttack 2		Conti RoadAttack 2									
Conti Race Attack Street		Conti Race Attack Street									
Conti Motion Z		Conti Motion									
Avon		Storm 2	120/70 ZR 17 M/C (58W)		Storm 2	160/60 ZR17 M/C (69W)					
		VP 2 AV59 SP/SS			VP 2 AV60 SP/SS						
		3D Ultra SP/SS			3D Ultra SP/SS						
	Viper AV59	Viper AV60									
690 Enduro / R 2008-2013	-	-	90/90 R21 54S 90/90-21 M/C 54S TT M+S	No tire brand requirements	-	140/80 R18 70S 140/80-18 70S	No tire brand requirements				
	Metzeler	Enduro 3 Sahara	90/90 - 21 M/C 54S TT		Enduro 3 Sahara	140/80 - 18 M/C 70S TT					
	Pirelli	MT 21 Rallycross	90/90 - 21 M/C 54R TT		MT 21 Rallycross	140/80 - 18 M/C 70R TT					
	Continental	TKC 80	90/90-21 M/C 54S TT M+S	Vmax 160 km/h (M+S label)	TKC 80	140/80-18 M/C 70R TT M+S	Vmax 160 km/h (M+S label)				
690 Enduro R 2014-2017	Metzeler	Enduro 3 Sahara	90/90 - 21 M/C 54S TT		Enduro 3 Sahara	140/80 - 18 M/C 70S TT					
	Pirelli	MT 21 Rallycross	90/90 - 21 M/C 54T TT		MT 21 Rallycross	140/80 - 18 M/C 70R TT					
	Continental	TKC 80	90/90 - 21 M/C 54S TT M+S		TKC 80	140/80 - 18 M/C 70R TT M+S					

# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire		
		Type	Dimensions	Comm.	Type	Dimensions	Comm.
690 SMC R 2012/2013	Bridgestone	BT 023 F	120/70ZR17 M/C (58W) TL		BT 023 R	160/60ZR17 M/C (69W) TL	
		S 20 F	120/70ZR17 M/C (58W) TL		S 20 R	160/60ZR17 M/C (69W) TL	
		T 30 F	120/70ZR17 M/C (58W) TL		T 30 R	160/60ZR17 M/C (69W) TL	
	Dunlop	Sportsmart 2	120/70 ZR17 M/C (58W) TL		Sportsmart 2	160/60ZR17 M/C (69W) TL	
	Continental	ContiMotion Z	120/70 ZR17 M/C (58W) TL		ContiMotion	160/60 ZR17 M/C (69W) TL	
		ContiAttack SM	120/70 R17 M/C 58H TL		ContiAttack SM	160/60 R17 M/C 69H TL	
		ContiSportAttack 2	120/70 ZR17 M/C (58W) TL		ContiSportAttack 2	160/60 ZR17 M/C (69W) TL	
690 SMC R 2014 - 2017	Continental	ContiAttack SM	120/70 R 17 M/C 58H TL	OE	ContiAttack SM	160/60 R 17 M/C 69H TL	OE
690 Duke / 690 Duke R - ohne ABS 2008-2011	Michelin	Pilot Road 2	120/70 ZR 17 M/C (58W)		Pilot Road 2	160/60 ZR17 M/C (69W)	
		Pilot Power			Pilot Power		
		Power One			Power One		
		Power Pure			Power Pure		
		Pilot Power 2 CT			Pilot Power 2 CT		
	Pirelli	Diablo Rosso	120/70 R 17 M/C (58H)		Diablo Rosso	160/60 R17 M/C (69H)	
		Supercorsa Pro			Supercorsa Pro		
		Scorpion Sync Front			Scorpion Sync Front		
		Diablo Strada			160/60 ZR17 M/C (69W)		
		Diablo Rosso Corsa					
	Angel ST						
	Metzeler	Sportec M3	120/70 ZR 17 M/C (58W)		Sportec M3	160/60 ZR17 M/C (69W)	
		Roadtec Z6 Front			Roadtec Z6		
		Sportec M5 Interact			Sportec M5 Interact		

# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire			
		Type	Dimensions	Comm.	Type	Dimensions	Comm.	
690 Duke / 690 Duke R -ohne ABS 2008-2011	Bridgestone	BT 016F	120/70 ZR 17 M/C (58W)		BT 016 R	160/60 ZR17 M/C (69W)		
		BT 023 F			BT 023 R			
		BT 021 F			BT 021 R			
	Dunlop	Sportmax Alpha 10	120/70 R 17 M/C (58H)		Sportmax Alpha 10	160/60 R17 M/C (59H)		
		Sportmax Qualifier RR	120/70 ZR 17 M/C (58W)		Sportmax Qualifier RR	160/60 ZR17 M/C (69W)		
		Sportmax Qualifier F		Sportmax Qualifier				
		Sportmax Roadsmart		Sportmax Roadsmart				
		Sportmax D270F		Sportmax D270F				
		Sportmax Qualifier 2		Sportmax Qualifier 2				
		Sportmax Sportsmart		Sportmax Sportsmart				
	Continental	Conti Road Attack 2		120/70 ZR 17 M/C (58W)			Conti Road Attack 2	160/60 ZR17 M/C (69W)
		Conti Sport Attack	Conti Sport Attack					
		Conti Race Attack Street	Conti Race Attack Street					
		Conti Motion Z	Conti Motion					
	Avon	Disanzia AM43	120/70 ZR 17 M/C (58W)		Disanzia AM44	160/60 ZR17 M/C (69W)		
		Storm 2		Storm 2				
		VP 2 AV59 SP/SS		VP 2 AV60 SP/SS				
		Storm ST		Storm ST				
		Viper AV59		Viper AV60				
	690 Duke 2012-2016	Dunlop	Roadsmart 2	120/70 ZR 17 M/C (58W) TL		Roadsmart 2	160/60 ZR17 M/C (69W) TL	
Sportmax Mutant			Sportmax Mutant					
Sportmax Qualifier			Sportmax Qualifier					
Sportsmart 2			Sportsmart 2					
Michelin		Pilot Road 3	120/70 ZR 17 M/C (58W) TL		Pilot Road 3	160/60 ZR17 M/C (69W) TL		
		Pilot Power		OE	Pilot Power		OE	
		Power Pure			Power Pure			
Bridgestone		S20 F			S20 R			
Continental		Conti AttackSM	120/70R 17 M/C (58H) TL		Conti AttackSM	160/60R17 M/C (69H) TL		
		SportAttack 2	120/70R 17 M/C (58H) TL		SportAttack 2	160/60R17 M/C (69H) TL		
		Conti Motion Z	120/70 ZR 17 M/C (58W) TL		Conti Motion	160/60 ZR17 M/C (69W) TL		
		Conti RaceAttack Competition Endurance		Conti RaceAttack Competition Endurance				
		Conti RoadAttack 2		Conti RoadAttack 2				
			ContiMotion Z	120/70 ZR17 M/C (58W) TL		ContiMotion	160/60 ZR17 M/C (69W) TL	
		ContiRoadAttack 2	120/70 ZR17 M/C (58W) TL		ContiRoadAttack 2 EVO	160/60 ZR17 M/C (69W) TL		
Avon		Disanzia	120/70 R17 M/C 58H TL		AV60 Viper SP/SS	160/60 R17 M/C 69H TL		
Metzeler	Sportec M5 Interact	120/70 ZR17 M/C (58W) TL		Sportec M5 Interact	160/60 ZR17 M/C (69W) TL			



# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire		
		Type	Dimensions	Comm.	Type	Dimensions	Comm.
690 Duke R 2013-2016	Avon	Distanzia	120/70 R17 M/C 58H TL		Distanzia	160/60 R17 M/C 69H TL	
	Continental	ContiMotion Z	120/70 ZR17 M/C (58W) TL		ContiMotion	160/60 ZR17 M/C (69W) TL	
		SportAttack2	120/70 ZR17 M/C (58W) TL		SportAttack2	160/60 ZR17 M/C (69W) TL	
		ContiRoadAttack 2/EVO	120/70 ZR17 M/C (58W) TL		ContiRoadAttack 2/EVO	160/60 ZR17 M/C (69W) TL	
		Michelin	Pilot Power 3		120/70 ZR17 M/C (58W) TL	Pilot Power 3	
	Metzeler	Sportec M5 Interact	120/70 ZR17 M/C (58W) TL		Sportec M5 Interact	160/60 ZR17 M/C (69W) TL	
	Pirelli	Diablo Rosso II K	120/70ZR17 M/C (58W) TL		Diablo Rosso II	160/60ZR17 M/C (69W) TL	
		Sportsmart 2	120/70ZR17 M/C (58W) TL		Sportsmart 2	160/60ZR17 M/C (69W) TL	
		ROADSMART	120/70ZR17 M/C (58W) TL		ROADSMART	160/60ZR17 M/C (69W) TL	
Sportmax Qualifier		120/70ZR17 M/C (58W) TL	Sportmax Qualifier	160/60ZR17 M/C (69W) TL			
690 Duke / 690 Duke R 2017	Metzeler	Sportec M7 RR	120/70 ZR 17 M/C (58W) TL	OE	Sportec M7 RR	160/60 ZR 17 M/C (69W) TL	OE
950-990 ADV. /S/R (ohne ABS) 2002-2006	Pirelli	MT90 Scorpion A/T	90/90-21 M/C 54V	Up to 160 km/h	MT90 Scorpion A/T	150/70-18 M/C 70V	Up to 160 km/h
	Metzeler	Metzeler MCE Karoo 2	90/90-21 M/C 54R M+S		Metzeler MCE Karoo	150/70-18 M/C 70 R M+S	
	Continental	TKC80 M+S	90/90-21 M/C 54 S TT		TKC80 M+S	150/70 B18 M/C 70Q TT	
950 Super Enduro R 2006-2008	Metzeler	Enduro 3	90/90-21 M/C 54H TL	Up to 160 km/h	Enduro 3	140/80-18 M/C 70H TL	Up to 160 km/h
		MCE Karoo 2 (T)	90/90-21 M/C 54Q M+S TL		MCE Karoo 2 (T)	140/80-18M/C 70 Q M+S TL	
	Continental	TKC80	90/90-21 M/C 54 S M+S TT		TKC80	140/80 -18 M/C 70R M+S TT	
950 SM / 950 SM R 2005-2008	Avon	AV59 Viper SP/SS	120/70 ZR17 M/C 58W TL		AV60 Viper SP/SS	180/55 ZR 17 M/C 73W TL	
		Avon VP2 AV59 SP/SS			Avon VP2 AV60 SP/SS		
		AV55 Storm ST			AV56 Storm ST		
	Michelin	Pilot Road S			Pilot Road S		
	Dunlop	Sportmax D208 RR			Sportmax D208 RR		
		Sportmax Qualifier 2			Sportmax Qualifier 2		
	Pirelli	Scorpion Sync			Scorpion Sync		
		Diablo Rosso			Diablo Rosso		
		Angel ST			Angel ST		
Bridgestone	BT 003 F Street	BT 003 R Street					

# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire			
		Type	Dimensions	Comm.	Type	Dimensions	Comm.	
990 SM 2008/2009	Avon	AV59 Viper SP/SS	120/70 ZR17 M/C 58W TL		AV60 Viper SP/SS	180/55 ZR 17 M/C 73W TL		
		Avon VP2 AV59 SP/SS			Avon VP2 AV60 SP/SS			
		AV55 Storm ST			AV56 Storm ST			
	Metzeler	Racetec Front K3			Racetec K3			
	Dunlop	Sportmax Qualifier 2			Sportmax Qualifier 2			
	Pirelli	Scorpion Sync			Scorpion Sync			
		Dragon Supercorsa Pro			Dragon Supercorsa Pro			
	Bridgestone	BT 016 F			BT 016 R			
		BT 003 F Street			BT 003 R Street			
		BT 002F Racing Street			BT 002 R Racing Street			
990 SM R 2009/2010	Avon	Storm 2	120/70 ZR17 M/C 58W TL		Storm 2	180/55 ZR 17 M/C 73W TL		
		Storm ST AV55			Storm ST AV56			
		VP2 AV59 SP/SS			VP2 AV60 SP/SS			
	Metzeler	Racetec Interact K3	120/70 ZR17 M/C 58W TL		Racetec Interact K3	180/55 ZR 17 M/C 73W TL		
		Roadtec Z6 Interact			Roadtec Z6 Interact			
	Dunlop	Sportmax Qualifier 2	120/70ZR17M/C (58W) TL		Sportmax Qualifier 2	180/55ZR17 M/C (73W) TL		
		Sportmax Sportsmart			Sportmax Sportsmart			
	Pirelli	Diablo Rosso	120/70 ZR17 M/C 58W TL		Diablo Rosso	180/55 ZR 17 M/C 73W TL		
		Diablo Rosso Corsa			Diablo Rosso Corsa			
		Scorpion Sync			Scorpion Sync			
	Continental	Conti RaceAttack Street	120/70 ZR17 M/C 58W TL		Conti Race AttackStreet	180/55 ZR 17 M/C 73W TL		
		Conti Sport Attack			Conti Sport Attack			
	Bridgestone	BT03 F	120/70ZR17M/C (58W) TL		BT03 R	180/55ZR17 M/C (73W) TL		
		S20F			S20R			
	Michelin	Power Pure A	120/70ZR17M/C (58W) TL		Power Pure	180/55ZR17 M/C (73W) TL		
		Pilot Power E			Pilot Power			
	990 Superduke 2005/2006	Michelin	Pilot Power	120/70 ZR 17 M/C 58W TL		Pilot Power	180/55 ZR 17 M/C 73W TL	
			Pilot Power 2CT			Pilot Power 2CT		
Pirelli		Diablo Strada	Diablo Strada					
		Diablo Corsa	Diablo Corsa					
		Diablo	Diablo					
		Diablo T - OEM	Diablo T - OEM					
		Diablo Supercorsa Pro	Diablo Supercorsa Pro					
Metzeler		Roadtec Z8	Roadtec Z8					
	Racetec K3	Racetec K3						





# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire		
		Type	Dimensions	Comm.	Type	Dimensions	Comm.
990 Superduke 2005-2006	Bridgestone	BT 014 SE	120/70 ZR 17 M/C 58W TL		BT 014	180/55 ZR 17 M/C 73W TL	
		BT 021 F			BT 021 F		
		BT 002 Street			BT 002 Street		
	Dunlop	Sportmax Qualifier			Sportmax Qualifier		
		Sportmax D208RR			Sportmax D208RR		
	Continental	Conti Sport Attack			Conti Sport Attack		
		Conti Race Attack			Conti Race Attack		
	Avon	Storm ST			Storm ST		
		Viper			Viper		
	990 Superduke R 2007-2009	Michelin			Power Pure		
Pilot Road 2			Pilot Road 2				
Pirelli		Diablo Rosso Corsa	120/70 ZR17 M/C (58W) TL	Diablo Rosso Corsa	180/55ZR17 M/C (73W) TL		
		Diablo Corsa III		Diablo Corsa III			
		Diablo Rosso 2		Diablo Rosso 2			
		Supercorsa Pro	120/70 ZR 17 M/C 58W TL	Supercorsa Pro	180/55ZR17 M/C 73W TL		
		Diablo		Diablo			
		Diablo Strada		Diablo Strada			
		Scorpion Sync		Scorpion Sync			
Metzeler		Sportec M3	120/70 ZR17 M/C (58W) TL	Sportec M3	180/55ZR17 M/C (73W) TL		
		Z8 Interact		Z8 Interact			
		Roadtec Z6 Interact		Roadtec Z6 Interact			
		Sportec M5 Interact		Sportec M5			
		Roadtec Z6		Roadtec Z6			
Racetec Interact K3		Racetec Interact K3					
Bridgestone		S20 F	120/70 ZR 17 M/C 58W TL	S20 R	180/55 ZR 17 M/C 73W TL		
		BT 016 FL		BT 016 RL			
		BT 003 F Street		BT 003 Street			
		BT 021 F		BT 021			
		BT 002 Street		BT 002 Street			
		BT 016F Pro		BT 016 R Pro			
Dunlop		Sportmax Qualifier	120/70 ZR 17 M/C 58W TL	Sportmax Qualifier	180/55 ZR 17 M/C 73W TL		
		Sportmax Qualifier 2		Sportmax Qualifier 2			
		Sportmax Sportsmart		Sportmax Sportsmart			
Continental		Conti RoadAttack 2	120/70 ZR 17 M/C (58W) TL	Conti RoadAttack 2	180/55ZR17 M/C (73W) TL		
		Conti Motion		Conti Motion			
		Conti RaceAttack CE.		Conti RaceAttack CE.			
		Conti Sport Attack 2		Conti Sport Attack 2			
Avon		Conti Trail Attack	120/70 ZR 17 M/C 58W TL	Conti Trail Attack	180/55 ZR 17 M/C 73W TL		
		Storm ST AV55		Storm ST AV56			
	VP2 AV59 SP/SS	VP2 AV60 SP/SS					
	Storm 2	Storm 2					
	3D Ultra SP/SS	3D Ultra SP/SS					
Viper	Viper						



# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire			
		Type	Dimensions	Comm.	Type	Dimensions	Comm.	
990 Superduke 2007/2008	Michelin	Pilot Power	120/70 ZR 17 M/C 58W TL		Pilot Power	180/55 ZR 17 M/C 73W TL		
		Pilot Power 2CT			Pilot Power 2CT			
		Pilot Road			Pilot Road			
		Pilot Road 2			Pilot Road 2			
		Power Pure A			Power Pure			
	Pirelli	Diablo Rosso	120/70 ZR 17 M/C (58W) TL	120/70 ZR 17 M/C 58W TL		Diablo Rosso	180/55 ZR 17 M/C (73W) TL	180/55 ZR 17 M/C 73W TL
		Diablo Corsa III	Diablo Corsa III					
		Supercorsa Pro	Supercorsa Pro					
		Diablo Corsa	Diablo Corsa					
		Diablo	Diablo					
		Diablo T	Diablo T					
		Diablo Strada	Diablo Strada					
		Scorpion Sync	Scorpion Sync					
	Metzeler	Sportec M3	120/70 ZR 17 M/C (58W) TL	120/70 ZR 17 M/C 58W TL		Sportec M3	180/55 ZR 17 M/C (73W) TL	180/55 ZR 17 M/C 73W TL
		Racetec Front K3	Racetec K3					
		Roadtec Z6	Roadtec Z6					
		Racetec Interact K3	Racetec Interact K3					
	Bridgestone	BT 014 SE	120/70 ZR 17 M/C 58W TL	120/70 ZR 17 M/C 58W TL		BT 014 SE	180/55 ZR 17 M/C 73W TL	180/55 ZR 17 M/C 73W TL
		BT 016 F	BT 016					
		BT 003 F Street	BT 003 Street					
		S20F	120/70ZR17 M/C (58W) TL			S20R	180/55ZR17 M/C (73W) TL	
		BT 021 F	120/70 ZR 17 M/C 58W TL			BT 021	180/55 ZR 17 M/C 73W TL	
		BT 002 Street	BT 002 Street					
	Dunlop	Sportmax Qualifier	120/70 ZR 17 M/C 58W TL			Sportmax Qualifier	180/55 ZR 17 M/C 73W TL	
		Sportmax Qualifier RR				Sportmax Qualifier RR		
		Sportmax Qualifier 2				Sportmax Qualifier 2		
		Sportmax D208RR				Sportmax D208RR		
	Continental	Conti RoadAttack 2	120/70 ZR 17 M/C 58W TL			Conti RoadAttack 2	180/55 ZR 17 M/C 73W TL	180/55 ZR 17 M/C 73W TL
		Conti Trail Attack				Conti Trail Attack		
		Conti Sport Attack				120/70 ZR 17 M/C 58W TL	Conti Sport Attack	
		Conti RaceAttack Street				Conti RaceAttack Street		
		Conti RaceAttack CE.				120/70ZR17 M/C (58W) TL	Conti RaceAttack CE.	
Avon	Storm ST AV55	120/70ZR17 M/C 58W TL	120/70 ZR 17 M/C 58W TL		Storm ST AV56	180/55ZR17 M/C 73W TL	180/55 ZR 17 M/C 73W TL	
	3D Ultra SP/SS	120/70 ZR 17 M/C (58W) TL			3D Ultra SP/SS	180/55ZR17 M/C (73W) TL		
	VP2 AV59 SP/SS	120/70 ZR 17 M/C 58W TL			VP2 AV60 SP/SS	180/55 ZR 17 M/C 73W TL		
	Viper Sport				Viper Sport			
	Viper				Viper			



# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire				
		Type	Dimensions	Comm.	Type	Dimensions	Comm.		
990 SM-T 2009/2010	Avon	Storm 2	120/70 ZR17 M/C 58W TL		Storm 2	180/55 ZR 17 M/C 73W TL			
		VP2 AV59 SP/SS			VP2 AV60 SP/SS				
		3D Ultra SP+SS			120/70ZR17M/C (58W) TL			3D Ultra SP+SS	180/55ZR17 M/C (73W) TL
		AV55 Storm ST			120/70 ZR17 M/C 58W TL			AV56 Storm ST	120/70 ZR17 M/C 58W TL
	Metzeler	Sportec M5 Interact	Sportec M5 Interact						
		Dunlop	Sportmax Qualifier 2			Sportmax Qualifier 2			
	Roadsmart 2		120/70ZR17M/C (58W) TL			Roadsmart 2		180/55ZR17 M/C (73W) TL	
	Pirelli	Diablo Rosso	120/70 ZR17 M/C 58W TL		Diablo Rosso	120/70 ZR17 M/C 58W TL			
		Diablo Corsa III			Diablo Corsa III				
		Diablo Rosso Corsa			Diablo Rosso Corsa				
		Angel ST			Angel ST				
	Bridgestone	BT 016 F	120/70 ZR17 M/C 58W TL		BT 016 R	120/70 ZR17 M/C 58W TL			
		BT 003 F Street			BT 003 R Street				
		S20F			120/70ZR17M/C (58W) TL			S20R	120/70ZR17M/C (58W) TL
		BT 023 F			120/70 ZR17 M/C 58W TL			BT 023 R	120/70 ZR17 M/C 58W TL
	Continental	Conti Road Attack 2	120/70 ZR17 M/C 58W TL		Conti Road Attack 2	120/70 ZR17 M/C 58W TL			
		Conti Trail Attack	120/70ZR17M/C (58W) TL		Conti Trail Attack	180/55ZR17 M/C (73W) TL			
		Conti Motion	120/70 ZR17 M/C 58W TL		Conti Motion	120/70 ZR17 M/C 58W TL			
		Conti RaceAttack Street			Conti RaceAttack Street				
	Michelin	Pilot Road 2D			120/70 ZR17 M/C 58W TL			Pilot Road 2A	120/70 ZR17 M/C 58W TL
		Pilot Power 2CT						Pilot Power 2CT	
		Power Pure	Power Pure						
	990 SMT ABS 2011/2012	Avon	3D Ultra SP/SS		120/70 ZR 17 M/C (58W) TL	3D Ultra SP/SS		180/55 ZR 17 M/C (73W) TL	
			Storm2			Storm2			
Metzeler		Z8 Interact	Z8 Interact						
Dunlop		Roadsmart 2	Roadsmart 2						
Pirelli		Diablo Rosso 2	Diablo Rosso 2						
		Conti RoadAttack 2	Conti RoadAttack 2						
Conti TrailAttack		Conti TrailAttack							
Bridgestone		S20F	S20R						
Michelin	Power Pure A	Power Pure							
990 SMR ABS 2012	Dunlop	Roadsmart 2	120/70 ZR17 M/C (58W) TL	Roadsmart 2	180/55 ZR 17 M/C (73W) TL				
		Sportmax Sportsmart		Sportmax Sportsmart					
	Bridgestone	S20F		S20R					
	Continental	Conti Sport Attack		Conti Sport Attack					
	Michelin	Power Pure A		Power Pure					
990 Adventure ABS 2006-2012	Pirelli	MT 90 scorpion A/T	90/90-21 M/C 54V	MT 90 Scorpion A/T	150/70-18 M/C 70V				
		Scorpion Trail	90/90-21 M/C 54S M+S TT	Scorpion Trail	150/70 B18 M/C 70Q M+S TT				
	Continental	TKC80 M+S		TKC80 M+S					
				Maximum 160 km/h	Maximum 160 km/h				

# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire		
		Type	Dimensions	Comm.	Type	Dimensions	Comm.
990 SMR ABS 2013	Avon	Storm 3D X-M	120/70 ZR17 M/C (58W) TL		Storm 3D X-M	180/55 ZR17 M/C (73W) TL	
	Bridgestone	T30F	120/70 ZR17 M/C (58W) TL		T30R	180/55 ZR17 M/C (73W) TL	
990 SMT ABS 2013	Avon	Storm 3D X-M	120/70 ZR17 M/C (58W) TL		Storm 3D X-M	180/55 ZR17 M/C (73W) TL	
	Bridgestone	T30F	120/70 ZR17 M/C (58W) TL		T30R	180/55 ZR17 M/C (73W) TL	
	Dunlop	Sportsmart 2	120/70 ZR17 M/C (58W) TL		Sportsmart 2	180/55 ZR17 M/C (73W) TL	
1190 RC8 2008-2010	Avon	Viper Xtreme	120/70 ZR17 M/C (58W) TL		Viper	190/55 ZR 17 M/C (75W) TL	
		3D Ultra SP+SS			3D Ultra SP+SS		
		VP2 AV61 X-treme			VP2 AV62 X-treme		
	Metzeler	Sportec M3	120/70 ZR17 M/C 58W TL		Sportec M3		
		Z8 Interact			Z8 Interact		
		Racetec Interact K3			Racetec Interact K3		
	Dunlop	Sportmax Qualifier RR	120/70 ZR17 M/C (58W) TL		Sportmax Qualifier RR		
		Sportmax Sportsmart			Sportmax Sportsmart		
		Sportmax Qualifier 2			Sportmax Qualifier 2		
	Pirelli	Diablo Rosso 2	120/70 ZR17 M/C (58W) TL		Diablo Rosso 2		
		Diablo Corsa III			Diablo Corsa III		
		Angel Street			Angel Street		
		Diablo Supercorsa SP			Diablo Supercorsa SP		
		Dragon Supercorsa pro			Dragon Supercorsa pro		
	Bridgestone	BT 016 F	120/70 ZR17 M/C 58W TL		BT 016 R		
		BT 016F Pro	120/70 ZR17 M/C (58W) TL		BT 016 R Pro		
		S20F	120/70 ZR17 M/C 58W TL		S20R		
		BT 003 F Street			BT 003 R Street		
	Continental	Conti Sport Attack	120/70 ZR17 M/C (58W) TL		Conti Sport Attack		
		Conti RaceAttack CE.			Conti RaceAttack CE.		
Conti Sport Attack 2		Conti Sport Attack 2					
Michelin	Power One	120/70 ZR17 M/C 58W TL	Power One				
	Power Pure D	120/70 ZR17 M/C (58W) TL	Power Pure E				



# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire		
		Type	Dimensions	Comm.	Type	Dimensions	Comm.
1190 RC8 R 2009-2014	Avon	3D Ultra SP/SS	120/70 ZR17 M/C 58W TL		3D Ultra SP/SS	190/55 ZR 17 M/C 75W TL	
		VP2 AV61 X-treme			VP2 AV62 X-treme		
	Metzeler	Sportec M3			Sportec M3		
	Dunlop	Sportmax Qualifier RR			Sportmax Qualifier RR		
		Sportmax Sportsmart			Sportmax Sportsmart		
		Sportmax Qualifier 2			Sportmax Qualifier 2		
	Pirelli	Diablo Rosso			Diablo Rosso		
		Diablo Corsa III			Diablo Corsa III		
	Bridgestone	BT 016 F			BT 016 R		
		S20F			S20R		
		BT 003 F Street			BT 003 R Street		
	Continental	Conti RaceAttack Street			Conti RaceAttack Street		
		Conti Sport Attack			Conti Sport Attack		
	Michelin	Pilot Power 2CT			Pilot Power 2CT		
Pilot Power		Pilot Power					
Power Pure		Power Pure					
1050 Adventure 2015/2016	Michelin	Anankee 3	110/80 R 19 59V TL		Anankee 3	150/70 R 17 69V TL	
	Continental	TKC 70	110/80R19 M/C 59V TL M+S		TKC 70	150/70R17 M/C 69V TL M+S	
		TKC 80	110/80B19 M/C 59Q TL M+S	Maximum 160 km/h	TKC 80	150/70B17 M/C 69Q TL M+S	Maximum 160 km/h
		RoadAttack 2 EVO	110/80 R19 59V TL		RoadAttack 2 EVO	150/70 R 17 69V TL	
		Trail Attack 2	110/80R19 M/C 59V TL		Trail Attack 2	150/70R17 M/C 69V TL	
	Dunlop	Sportmax Roadsmart 2	110/80R19 M/C 59V TL		Sportmax Roadsmart 2	150/70R17 M/C 69V TL	
		TRAILSART	110/80R19 M/C 59V TL		TRAILSART	150/70R17 M/C 69V TL	
		ROADSMART 3	110/80R19 M/C 59V TL		ROADSMART 3	150/70R17 M/C 69V TL	
	Metzeler	Karoo 3	110/80 - 19 M/C 59R M+S TL		Karoo 3	150/70R17 M/C 69V TL	
		Roadtec 01	110/80 R 19 59V TL		Roadtec 01	150/70 R 17 69V TL	
		Tourance Next	110/80 R19 M/C 59V TL		Tourance Next	150/70 R17 M/C 69V TL	
Pirelli	Scorpion Rally	110/80 - 19 M/C 59R M+S TL	Maximum 160 km/h	Scorpion Rally	150/70 - 17 M/C 69R M+S TL	Maximum 160 km/h	
	Angel GT	110/80R19 M/C 59V TL		Angel GT	150/70R17 M/C 69V TL		
1190 Adventure ABS	Continental	Conti TrailAttack 2 K	120/70 ZR 19 M/C 60W TL		Conti TrailAttack 2 K	170/60 ZR 17 M/C 72W TL	
		TKC 80 Twinduro	120/70 B19 M/C 60Q M+S TL	Maximum 160 km/h	TKC 80 Twinduro	170/60 B17 M/C 72Q M+S TL	Maximum 160 km/h
	Dunlop	ROADSMART II	120/70ZR19 M/C (60W) TL		ROADSMART II	170/60ZR17 M/C (72W) TL	

# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire		
		Type	Dimensions	Comm.	Type	Dimensions	Comm.
1090 Adventure 2017	Michelin	Anankee 3	110/80 R 19 M/C 59V TL		Anankee 3	150/70 R 17 M/C 69V TL	
	Continental	TKC 70	110/80 R 19 M/C 59V TL M+S		TKC 70	150/70 R 17 M/C 69V TL M+S	
		TKC 80	110/80 B 19 M/C 59Q TL M+S	Maximum 160 km/h	TKC 80	150/70 B 17 M/C 69Q TL M+S	Maximum 160 km/h
		ContiRoadAttack 2 EVO	110/80 R 19 M/C 59V TL		ContiRoadAttack 2 EVO	150/70 R 17 M/C 69V TL	
		ContiTrailAttack 2	110/80 R 19 M/C 59V TL		ContiTrailAttack 2	150/70 R 17 M/C 69V TL	
	Dunlop	Sportmax Roadsmart 2	110/80 R 19 M/C 59V TL		Sportmax Roadsmart 2	150/70 R 17 M/C 69V TL	
		TrailSmart	110/80 R 19 M/C 59V TL		TrailSmart	150/70 R 17 M/C 69V TL	
		RoadSmart 3	110/80 R 19 M/C 59V TL		RoadSmart 3	150/70 R 17 M/C 69V TL	
	Metzeler	Karoo 3	110/80 - 19 M/C 59R M+S TL		Karoo 3	150/70 R 17 M/C 69V TL	
		Roadtec 01	110/80 R 19 M/C 59V TL		Roadtec 01	150/70 R 17 M/C 69V TL	
		Tourance Next	110/80 R 19 M/C 59V TL		Tourance Next	150/70 R 17 M/C 69V TL	
	Pirelli	Scorpion Rally	110/80 - 19 M/C 59R M+S TL	Maximum 160 km/h	Scorpion Rally	150/70 - 17 M/C 69R M+S TL	Maximum 160 km/h
Angel GT		110/80 R 19 M/C 59V TL		Angel GT	150/70 R 17 M/C 69V TL		
1290 Super Adventure S	Pirelli	Scorpion Trail II K	120/70 ZR 19 M/C 60W TL	OE	Scorpion Trail II K	170/60 ZR 17 M/C 72W TL	OE
	Continental	ContiTrailAttack 2 K	120/70 ZR 19 M/C 60W TL		ContiTrailAttack 2 K	170/60 ZR 17 M/C 72W TL	
		TKC 80	120/70 B 19 M/C 60Q TL M+S	Maximum 160 km/h	TKC 80	170/60 B 17 M/C 72Q TL M+S	Maximum 160 km/h
Dunlop	RoadSmart II	120/70 ZR 19 M/C (60W) TL		RoadSmart II	170/60 ZR 17 M/C (72W) TL		
1190 Adventure R ABS ab 2013/2016	Continental	Conti TrailAttack 2	90/90 V21 M/C (54V) TL		Conti TrailAttack 2	150/70 ZR18 M/C 70W TL	
		TKC 80 Twinduro	90/90 - 21 M/C 54T M+S TL	Maximum 160 km/h	TKC 80 Twinduro	150/70 B18 M/C 70Q M+S TL	Maximum 160 km/h
1090 Adventure R	Continental	ContiTrailAttack 2	90/90 V 21 M/C (54V) TL		ContiTrailAttack 2	150/70 ZR 18 M/C 70W TL	
		TKC 80	90/90 - 21 M/C 54T M+S TL	Maximum 160 km/h	TKC 80	150/70 B 18 M/C 70Q M+S TL	Maximum 160 km/h
1290 Superadventure	Continental	Conti TrailAttack 2 K	120/70 ZR 19 M/C 60W TL	OE	Conti TrailAttack 2 K	170/60 ZR 17 M/C 72W TL	OE
		TKC 80	120/70B19 M/C 60Q TL M+S	Maximum 160 km/h	TKC 80	170/60B17 M/C 72Q TL M+S	Maximum 160 km/h
	Dunlop	ROADSMART II	120/70ZR19 M/C (60W) TL		ROADSMART II	170/60ZR17 M/C (72W) TL	
1290 Super Adventure R 2017	Continental	ContiTrailAttack 2	90/90 V 21 M/C (54V) TL	OE	ContiTrailAttack 2	150/70 ZR 18 M/C 70W TL	OE
		TKC 80	90/90 - 21 M/C 54T M+S TL	Maximum 160 km/h	TKC 80	150/70 B 18 M/C 70Q M+S TL	Maximum 160 km/h



# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire				
		Type	Dimensions	Comm.	Type	Dimensions	Comm.		
1290 Superduke R / GT ABS 2014-2016	Dunlop	Sportmax Sportsmart2	120/70 ZR17 M/C (58W) TL	OE	Sportmax Sportsmart2	190/55 ZR17 M/C (75W) TL	OE		
		Qualifier 2	120/70 ZR17 M/C (58W) TL		Qualifier 2	190/55 ZR17 M/C (75W) TL			
	Metzeler	Racetec RR K3	120/70 ZR 17 (58W) TL		Racetec RRRK3	190/55 ZR 17 (75W) TL			
		Roadtec Z8 Interact M	120/70 ZR17 M/C (58W) TL		Roadtec Z8 Interact M	190/55 ZR17 M/C (75W) TL			
	Pirelli	Angel GT	120/70 ZR17 M/C (58W) TL		Angel GT D	190/55 ZR17 M/C (75W) TL			
		Diablo Rosso Corsa	120/70 ZR17 M/C (58W) TL		Diablo Rosso Corsa	190/55 ZR17 M/C (75W) TL			
		Diablo Rosso 3	120/70 ZR17 M/C (58W) TL		Diablo Rosso 3	190/55 ZR17 M/C (75W) TL			
	Michelin	Power Supersport/EVO	120/70 ZR 17 M/C (58W) TL		Power Supersport/EVO	190/55 ZR17 M/C (75W) TL			
	Avon	3D Ultra Sport	120/70 ZR17 M/C (58W) TL		3D Ultra Sport	190/55 ZR17 M/C (75W) TL			
	Continental	Conti RaceAttack	120/70 ZR17 M/C (58W) TL		Conti RaceAttack	190/55 ZR17 M/C (75W) TL			
		Competition Endurance	120/70 ZR 17 (58W) TL		Competition Endurance	190/55 ZR17 (75W) TL			
		RoadAttack2 EVO	120/70 ZR 17 (58W) TL		RoadAttack2 EVO	190/55 ZR17 (75W) TL			
	Bridgestone	SportAttack 3	120/70 ZR 17 (58W) TL		SportAttack 3	190/55 ZR 17 (75W) TL			
		T30F	120/70 ZR17 M/C (58W) TL		T30R	190/55 ZR17 M/C (75W) TL			
1290 Super Duke R 2017	Metzeler	Sportec M7 RR	120/70 ZR 17 M/C (58W) TL		OE	Sportec M7 RR		190/55 ZR 17 M/C (75W) TL	OE
1290 Superduke GT 2017	Pirelli	Angel GT	120/70 ZR 17 M/C (58W) TL	OE	Angel GT D	190/55 ZR 17 M/C (75W) TL	OE		
		Diablo Rosso Corsa	120/70 ZR 17 M/C (58W) TL		Diablo Rosso Corsa	190/55 ZR 17 M/C (75W) TL			
		Diablo Rosso III	120/70 ZR 17 M/C (58W) TL		Diablo Rosso III	190/55 ZR 17 M/C (75W) TL			
	Dunlop	Sportmax Sportsmart2	120/70 ZR 17 M/C (58W) TL		Sportmax Sportsmart2	190/55 ZR 17 M/C (75W) TL			
		Qualifier II	120/70 ZR 17 M/C (58W) TL		Qualifier II	190/55 ZR 17 M/C (75W) TL			
	Metzeler	Racetec RR K3	120/70 ZR 17 M/C (58W) TL		Racetec RRRK3	190/55 ZR 17 M/C (75W) TL			
		Roadtec Z8 Interact M	120/70 ZR 17 M/C (58W) TL		Roadtec Z8 Interact M	190/55 ZR 17 M/C (75W) TL			
	Pirelli	Angel GT	120/70 ZR 17 M/C (58W) TL		Angel GT D	190/55 ZR 17 M/C (75W) TL			
		Diablo Rosso Corsa	120/70 ZR 17 M/C (58W) TL		Diablo Rosso Corsa	190/55 ZR 17 M/C (75W) TL			
		Diablo Rosso III	120/70 ZR 17 M/C (58W) TL		Diablo Rosso III	190/55 ZR 17 M/C (75W) TL			
	Michelin	Power Supersport/EVO	120/70 ZR 17 M/C (58W) TL		Power Supersport/EVO	190/55 ZR 17 M/C (75W) TL			
	Avon	3D Ultra Sport	120/70 ZR 17 M/C (58W) TL		3D Ultra Sport	190/55 ZR 17 M/C (75W) TL			
	Continental	ContiRaceAttack	120/70 ZR 17 M/C (58W) TL		ContiRaceAttack	190/55 ZR 17 M/C (75W) TL			
		Competition Endurance	120/70 ZR 17 M/C (58W) TL		Competition Endurance	190/55 ZR 17 M/C (75W) TL			
		ContiRoadAttack2 EVO	120/70 ZR 17 M/C (58W) TL		ContiRoadAttack2 EVO	190/55 ZR 17 M/C (75W) TL			
	Bridgestone	ContiSportAttack 3	120/70 ZR 17 M/C (58W) TL		ContiSportAttack 3	190/55 ZR 17 M/C (75W) TL			
T30F		120/70 ZR 17 M/C (58W) TL	T30R	190/55 ZR 17 M/C (75W) TL					



# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire		
		Type	Dimensions	Comm.	Type	Dimensions	Comm.
		<b>Speed rating</b>		<b>Load index</b>			
		Rating	km/h	Index	kg		
		J	100	54	212		
		K	110	55	218		
		L	120	56	224		
		M	130	57	230		
		N	140	58	236		
		P	150	59	243		
		Q	160	60	250		
		R	170	61	257		
		S	180	62	265		
		T	190	63	272		
		U	200	64	280		
		H	210	65	290		
		V	240	66	300		
		ZR	>240	67	307		
		W	270	68	315		
		(W)	>270	69	325		
		Y	300	70	335		
				71	345		
				72	355		
				73	365		
				74	375		
				75	387		
				76	400		
				77	412		
				78	425		
				79	437		

Information on our policies: Tire testing is a permanent part of KTM vehicle development. In the knowledge that tire design has a major impact on riding behavior, the KTM development department has been testing tires intensively for many years. At KTM, motorcycle tires are a part of the overall vehicle concept. We test potential tires in endurance tests and under special conditions (rain, heat, race track operation, etc.) to determine their optimum suitability for vehicle use. Only those tires that pass the extensive testing procedures in terms of high speed stability, steering precision, handling, wet and dry grip, and wear are approved by KTM vehicle technicians and given the "green light" for daily motorcycle use.





# RECOMMENDED AND APPROVED TIRES

**READY TO RACE**  
» www.ktm.com

The correct tire inflation pressure can be found in the Owner's Manual of your vehicle.

Veh.	Manufacturer	Front tire			Rear tire		
		Type	Dimensions	Comm.	Type	Dimensions	Comm.

## Safety notes:

- Tire approvals always apply in pairs per line.
- The ratings and indices are minimum values
- Tires with an NHS marking are not approved for use on public roads
- When using special tires such as M+S or D-rated tires, the rider must note and adhere to their approved maximum speed.

For this purpose, a decal showing the approved maximum speed must be applied in the field of view of the rider.

- The specified minimum tire inflation pressure must be maintained and checked regularly.
- The tires must be checked regularly for damage.
- Do not exceed the maximum load capacity.
- The tires are only permitted to be mounted by a specialist.

## Legend:

OE: Original equipment tires  
 NHS: Non-highway service tires, not approved for use on public roads  
 M+S: Mud and snow  
 M/C: Motorcycle tires  
 MST: Tires for special uses  
 TT: Tube tires  
 TL: Tubeless tires

